Form Approved OMB No 2040-0250

EPA I.D. NUMBER (copy from Item 1 of Form 1)

FORM 2B

EPA

U.S. ENVIRONMENTAL PROTECTION AGENCY
APPLICATIONS FOR PERMIT TO DISCHARGE WASTEWATE
CONCENTRATED ANIMAL FEEDING OPERATIONS AND AQUATIC ANIMAL PRO

∠ <b>D</b> NPDES	CON	CENTRATE	D ANIMAL FEEDING	OPE	RATIONS AND AQUATIC AN	IMAL PRODUCTION FACILITIES				
I. GENERAL INFORM	ATION	Applying for: Individual Permit ☑ Coverage Under General Permit □								
A. TYPE OF BU	SINESS		B. CONTACT	ΓINF	CORMATION	C. FACILITY OPERATION STATUS				
<ul> <li>☑ 1. Concentrated Anim Operation (complet and section II)</li> <li>☐ 2. Concentrated Aqua Production Facility B, C, and section II</li> </ul>	tic Animal (complete items	Telephone Address: Facsimile	Name: Murphy-Brov e: (	09 6	VA Zip Code: 23890	■ 1. Existing Facility □ 2. Proposed Facility				
County: Sussex  If contract operation: N	LC Farm 13 and 14 Lane State State Name of Integrator:	e: Virginia Latitude: N/A or: N/A	Facs Zip ( 36 deg. 55 min. 43	imile Code: sec.	Longitude: _77 deç	g. 02 min. 13 sec.				
avaichanceanan acatha amais an acatha ann an a	NOVEMBER OF THE OWNER OWNER OF THE OWNER	G OPEKA	TION CHARACI	7	MANURE, LITTER, AND/	OR WASTEWATER				
A. TYPE AND NUMBER  1. TYPE  □ Mature Dairy Cows  □ Dairy Heifers  □ Veal Calves	NO. IN	2. ANII NOPEN NEMENT	MALS NO. HOUSED UNDER ROOF	1.	the applicant are available f manure/litter/wastewater? How many tons of manure	tons 20.4M gallons cres of land under the control of or applying the CAFOs 188 acres or litter, or gallons of waste- O will be transferred annually				
Cattle (not dairy or vea										
Swine (55 lbs. or over)  Swine (under 55 lbs.)	)		6,300							
☐ Horses										
☐ Sheep or Lambs										
☐ Turkeys										
☐ Chickens (Broilers)										
☐ Chickens (Layers)			**************************************							
□ Ducks			***************************************							
☐ Other: Specify										
3. TOTAL ANIMALS		21,000								

C. 🗷 TOPOGRAPHIC MAP			
D. TYPE OF CONTAINMENT, STORAGE AN	ND CAPACITY		
1. Type of Containment	Total Capac	ity (in gallons)	
□ Lagoon			
☐ Holding Pond			
☐ Evaporation Pond			
Other: Specify			
2. Report the total number of acres contributing of	drainage: 188	acres	
3. Type of Storage	Total Number of Days	Total Capacity (gallons/tons)	
🗷 Anaerobic Lagoon	180	58,870,011 gals.	
☐ Storage Lagoon			
☐ Evaporation Pond			
☐ Aboveground Storage Tanks			
☐ Belowground Storage Tanks			
☐ Roofed Storage Shed			
☐ Concrete Pad			
☐ Impervious Soil Pad			
☐ Other: Specify			
E. NUTRIENT MANAGEMENT PLAN Note: Effective February 27, 2009, a permit ap Permitting Authority.	plication is not complet	te until a nutrient mana	agement plan is submitted to the
1. Please indicate whether a nutrient managemen	t plan has been included	with this permit applicat	tion. ⊠Yes □No
2. If no, please explain:			
3. Is a nutrient management plan being implement	nted for the facility?	Yes □ No	ì
4. The date of the last review or revision of the n	utrient management plan	. Date:	
5. If not land applying, describe alternative use(s	) of manure, litter, and/or	wastewater:	
F. LAND APPLICATION BEST MANAGEMEN	T PRACTICES		
Please check any of the following best mana water quality:	gement practices that are	e being implemented at t	he facility to control runoff and protect
Buffers	tillage   Constructed v	vetlands   Infiltration	field 🗷 Grass filter 🗆 Terrace

III. CONCENT	RATED AQUA	TIC ANIMAL PI	RODUCTION FA	CILITY CHAR	ACTERISTICS		## DEM TOTAL CONTROL OF THE PROPERTY OF THE PR
A. For each outfi flow, and the	all give the maxi long-term averag	mum daily flow, mge flow.	aximum 30-day		e total number of p n your facility.	onds, raceways, and	d similar
1. Outfall No.	2.	Flow (gallons per	day)	1. Ponds	2. Racev	vays 3. C	ther
	a. Maximum. Daily	b. Maximum 30 Day	c. Long Term Average	C. Provide the used by your i		ving water and the	source of water
D. List the specie	es of fish or aqua	tic animals held an	d fed at your facilit e the maximum we	1. Receiving V	ies, give the total v	2. Water Source	your facility per
year in pounds		ater Species	e the maximum we	eignt present at a		Votor Cassier	
a. Spec		b. Harvestable W	eight (nounds)	2 9	pecies 2. Walm	Water Species b. Harvestable W	eight (nounde)
		(1) Total Yearly	(2) Maximum	u. S	pecies	(1) Total Yearly	(2) Maximum
E. Report the tota maximum feed	l pounds of food ing.	during the calenda	r month of	1. Month		2. Pounds of Foo	d
IV. CERTIFICA	TION	PANASOCIULIA PARA PARA PARA PARA PARA PARA PARA PA		accommunication and the Article Scientific Confidence of the Confi	***************************************	***************************************	All the second s
attachments and t	hat, based on my e accurate and c	inquiry of those in inplete. I am awa	ıdividuals immedia	itely responsible	for obtaining the i	tted in this applicat nformation, I believ llse information, in	e that the
A. Name and Offi	icial Title (print	or type)			B. Telephone (_	))	
C. Signature	7	7			D. Date Signed	13	

### INSTRUCTIONS

### GENERAL

This form must be completed by all applicants who check "yes" to Item II-B in Form I. Not all animal feeding operations or fish farms are required to obtain NPDES permits. Exclusions are based on size and whether or not the facility discharges proposed to discharge. See the description of these exclusions in the CAFO regulations at 40 CFR 122.23.

For aquatic animal production facilities, the size cutoffs are based on whether the species are warm water or cold water, on the production weight per year in harvestable pounds, and on the amount of feeding in pounds of food (for cold water species). Also, facilities which discharge less than 30 days per year, or only during periods of excess runoff (for warm water fish) are not required to have a permit.

Refer to the Form 1 instructions to determine where to file this form.

### Itam I

See the note above to be sure that your facility is a "concentrated animal feeding operation" (CAFO).

### Item I-B

Use this space to give owner/operator contact information.

### Itom I.C

Check "proposed" if your facility is not now in operation or is expanding to meet the definition of a CAFO in accordance with the CAFO regulations at 40 CFR 122.23.

### Item I-D

Use this space to give a complete legal description of your facility's location including name, address, and latitude/longitude. Also, if a contract grower, the name and address of the integrator.

### Item II

Supply all information in item II if you checked (1) in item I-A.

### Item II-A

Give the maximum number of each type of animal in open confinement or housed under roof (either partially or totally) which are held at your facility for a total of 45 days or more in any 12 month period. Provide the total number of animals confined at the facility.

### Item II-B

Provide the total amount of manure, litter, and wastewater generated annually by the facility. Identify if manure, litter, and wastewater generated by the facility is to be land applied and the number of acres, under the control of the CAFO operator, suitable for land application. If the answer to question 3 is yes, provide the estimated annual quantity of manure, litter, and wastewater that the applicant plans to transfer off-site.

### Item II-C

Check this box if you have submitted a topographic map of the entire operation, including the production area and land under the operational control of the CAFO operator where manure, litter, and/or wastewater are applied with Form 1.

### Federal regulations require the certification to be signed as follows:

- A. For corporation, by a principal executive officer of at least the level of vice president.
- B. For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
- C. For a municipality, State, federal, or other public facility, by either a principal executive officer or ranking elected official.

### Item II-D

- $1. \ Provide information on the type of containment and the capacity of the containment structure (s).$
- 2. The number of acres that are drained and collected in the containment structure (s).
- 3. Identify the type of storage for the manure, litter, and/or wastewater. Give the capacity of this storage in days.

### Item II-l

Provide information concerning the status of submitting a nutrient management plan for the facility to complete the application. In those cases where the nutrient management plan has not been submitted, provide an explanation. If not land applying, describe the alternative uses of the manure, litter, and wastewater (e.g., composting, pelletizing, energy generation, etc.).

### Item II-

Check any of the identified conservation practices that are being implemented at the facility to control runoff and protect water quality.

### Item III

Supply all information in Item III if you checked (2) in Item I-A.

### Item III.A

Outfalls should be numbered to correspond with the map submitted in Item XI of Form 1. Values given for flow should be representative of your normal operation. The maximum daily flow is the maximum measured flow occurring over a calendar day. The maximum 30-day flow is the average of measured daily flow over the calendar month of highest flow. The long-term average flow is the average of measure daily flows over a calendar year.

### Item III-

Give the total number of discrete ponds or raceways in your facility. Under "other," give a descriptive name of any structure which is not a pond or a raceway but which results in discharge to waters of the United States.

### Item III-C

Use names for receiving water and source of water which correspond to the map submitted in Item XI of Form 1.

### Item III-l

The names of fish species should be proper, common, or scientific names as given in special Publication No. 6 of the American Fisheries Society. "A List of Common and Scientific Names of Fishes from the United States and Canada." The values given for total weight produced by your facility per year and the maximum weight present at any one time should be representative of your normal operation.

### Item III-E

The value given for maximum monthly pounds of food should be representative of your normal operation.

### Item IV

The Clean Water Act provides for severe penalties for submitting false information on this application form.

Section 309(C)(2) of the Clean Water Act provides that "Any person who knowingly makes any false statement, representation, or certification in any application... shall upon conviction, be punished by a fine of no more than \$10,000 or by imprisonment for not more than six months, or both."

### Paper Reduction Act Notice

The public reporting and recordkeeping burden for this collection of information is estimated to average 9.5 hours per response. The public reporting and recordkeeping burden for development of the nutrient management plan to be submitted with the form is estimated to average 58 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

### VIRGINIA POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT CONCENTRATED ANIMAL FEEDING OPERATIONS

### PERMIT APPLICATION ADDENDUM

PLEASE TYPE OR PRINT ALL INFORMATION - ALL PARTS OF THIS FORM MUST BE COMPLETED

For DEQ Use Only:
Complete: Yes 🗆 No 🗆
Initials:
Date:

a la	·	CONTACT	INFORMATION			
Owner Name:	Murphy-Brown LLC			**************************************		
Mailing Address:	P.O. Box 1240					
City:	Waverly	State:	Virginia	Zip Code		
E-Mail Address:	robritt@murphybrownllc.co	om_				
Business Phone:	(804) 834-2109	Mobile Phone:	(804) 731-9603	Home Phon	3 1 4 2 E	
Best day o	of the week & time to contact		Day(s)		Time(s)	
the applic	ant	Mon Fri	•	8:00a	am – 5:00pm	PI
	I/FACILITY INFORMATION					****
Farm/Faci Name:	lity Murphy-Brown LLC Farm	ns 13 and 14	1			
Location:	34373 Munford Lane, Wa	akefield, VA	23890			
Does Fam	n/Facility have an existing pern	x Ye nit? □ No		Number: \	VPA00573	
. FARN	OPERATING MANUAL					
A. Opera	ting Manual been developed fo	or this facility	y?		Has a Farn □ Yes <b>X</b> N	
B. If yes, C.	provide the date of the last rev	/iew/revisior	n of the Farm Opera	nting Manua	I. Date:	
A copy	of the Manual (if already deve tached copy may be a hard co				☐ Yes ☐ N	o.
ıv. Grou	NDWATER MONITORING PL	.AN				
A. If the fa	acility has an existing permit, is	s aroundwal	ter monitorina requi	red?	<b>X</b> Yes □ N	O
B.		_	- ,			
•	has a Groundwater Monitoring	Plan been	developed for this f	acility?	☐ Yes X No ? N/A	1
C. If yes, D.	provide the date of the last rev	riew/revision	of the Groundwate	r Monitoring	g Plan. Date:	· WWW. W. W. Combridge.
D.	lease explain: <u>A geophysical e</u>	waluation is	heing conducted to	n establish a	framework for the G	around

E.

A copy of the Plan (if already developed) is attached: The attached copy may be a hard copy or an electronic copy.

? Yes X No? N/A

For each discharge point, provide the following information in the table below:

a descriptive name of the discharge point;

- the latitude and longitude of its location, ଡିଟିପିରିଡି
- the name of the nearest potential receiving water;
- all areas contributing manure, litter, process wastewater, or storm water from the facility; and the treatment received or BMPs utilized, installed or constructed prior to the discharge point.

	Treatment or BMDs	Secondary Containment				Secondary Containment				Secondary Confainment				Secondary Containment				
	Area Contributing. Flow	Production Area - Farm	<u></u>			Production Area – Farm	43			Production Area – Farm	4		,	Production Area - Farm	derm det		,	
	Name of Nearest Potential Receiving Water	Unnamed	tributary to	Airfield Pond -	Mill Run	Unnamed	tributary to	Airfield Pond -	Will Rus	Unnamed	tributary to	Seacorrie	Swamp	Unnamed	tributary to	Seacorrie	Swamp	
	Longitude				77°02′27.43″W				77°2'15.25" W				77°2′04.87" W			•	77°2′03.30" W	
	Latitude				36°56'32.41" N				36°56'34.95" N				36°55'53.98" N				36~55'45.65" N	
の できる かん かんしん かんしゅん	For DEG Use: I.D. Number Discharge Point		4				2				m	•			4			
	For DEQ Use: I.D. Number																-	

## **BEST MANAGEMENT PRACTICES (BMPs)** Ž

ď

installed or constructed for each of the areas listed in Section V above.

BMPs are utilized, X Yes | No

ത്

f no, please explain: A geophysical evaluation of the site is being conducted to establish a framework for a new Ground Water Monitoring Plan

Attach to this Addendum, a description of the BMPs listed above in Section V or a copy of the Farm Operating Manual (if already developed). The attached copy may be a hard copy or an electronic copy. Ö

The completed and signed Local Government Ordinance Form (LGOF) is attached:

? Yes ? No X On file with DEQ

X Yes ? No

A copy of the Department of Conservation and Recreation (DCR) Nutrient Management Plan (NMP) approval letter is attached:

**CERTIFICATION STATEMENT** Ž.

or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to

Printed Name: Kraig Westerbeek

Official Title: Assistant Vice President of Environment, Health, & Safety Date:

Signature:

VPDES CAFO Permit Application Addendum Ver. 1.0 - 04/2013

### ADDITIONAL INFORMATION AND INSTRUCTIONS VPDES CAFO PERMIT APPLICATION ADDENDUM

### **GENERAL INFORMATION**

This permit application addendum must be completed and submitted when an owner of a concentrated animal feeding operation makes application to the Department of Environmental Quality for a Virginia Pollutant Discharge Elimination (VPDES) Permit. Contact the nearest DEQ regional office if you have questions about completing this form. Please type or print all information. All parts of this form must be completed.

### **DEFINITION OF TERMS**

Best Management Practice (BMP): means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the discharge of pollutants to surface waters. BMPs also include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage.

<u>Process Wastewater:</u> Process wastewater from an AFO means water directly or indirectly used in the operation of the AFO for any of the following: spillage or overflow from animal or poultry watering systems; washing, cleaning, or flushing pens, barns, manure pits, or other AFO facilities; direct contact swimming, washing, or spray cooling of the (confined) animals; or dust control. Process wastewater from an AFO also includes any water that comes into contact with any raw materials, products, or byproducts including manure, litter, feed, milk, eggs or bedding.

<u>Production Area:</u> means that part of an AFO that includes the animal confinement area, the manure storage area, the raw materials storage area, and the waste containment areas. The animal confinement area includes but is not limited to open lots, housed lots, feedlots, confinement houses, stall barns, free stall barns, milkrooms, milking centers, cowyards, barnyards, medication pens, walkers, animal walkways, and stables. The manure storage area includes but is not limited to lagoons, runoff ponds, storage sheds, stockpiles, under house or pit storages, liquid impoundments, static piles, and composting piles. The raw materials storage areas include but is not limited to feed silos, silage bunkers, and bedding materials. The waste containment area includes but is not limited to settling basins, and areas within berms and diversions that separate uncontaminated storm water. Also included in the definition of production area is any egg washing or egg processing facility, and any area used in the storage, handling, treatment, or disposal of mortalities.

Storm Water: means storm water run-off, snow melt run-off, and surface run-off and drainage.

### APPLICATION ADDENDUM INSTRUCTIONS

### I. CONTACT INFORMATION

Give the name, mailing address, telephone numbers and e-mail address (if available) of the person to whom this permit will be issued. Please provide the best day of the week and time for DEQ to make contact with the owner during regular working hours.

### II. FARM/FACILITY INFORMATION

Give the name of the farm or facility. Give the physical location for the animal feeding operation other than the owner's mailing address (e.g. Rt. 653, 1 mile west of Rt. 702). List the number of any expiring or currently effective permits issued to the concentrated animal feeding operation under the VPA or VPDES permit program.

### III. FARM OPERATING MANUAL

Indicate if a Farm Operating Manual has been developed for this facility. If yes, provide the date of the last review/revision of the Farm Operating Manual. If the Manual has already been developed then indicate whether a copy of the Manual is attached to this Addendum. The attached copy may be a hard copy or an electronic copy.

Permit requirements for development of a manual:

The Permittee shall develop and submit a Farm Operating Manual for approval by the Department <u>within 90 days</u> of the effective date of this permit. The Farm Operating Manual shall include at a minimum the following information:

- a. identification of land features or structures where storm water will likely leave the production area(s)
   and enter surface waters of the state;
- b. identification of land features or structures in the land application area(s) which will increase the risk of nitrogen and phosphorus transport to surface waters of the state; land features or structures include tile lines, pipes or ditches;
- c. practices and procedures which will be followed to ensure that the waste storage facilities are designed and operated in accordance with the permit;
- d. practices, procedures and applicable best management practices (BMPs) which will be utilized to ensure compliance with the requirements of this permit including but not limited to the following:
  - (1) if applicable, identification of the location of BMP(s) that are installed or will be installed at the CAFO facility, for BMP(s) that will be installed include the expected timeframe for installation;
  - (2) specification of appropriate maintenance that will be performed for each BMP(s);
  - (3) specification of the steps that will be taken in the event that a BMP(s) is found deficient,
    - (a) as a result of the visual inspections as required by the permit, or
    - (b) as a result of other routine inspections, as prescribed by the Farm Operating Manual, of BMP(s) utilized or installed in accordance with the permit.

The steps shall include any actions that will be taken to correct deficiencies in accordance with the permit.

- e. practices and procedures which will be followed to ensure that all equipment needed for the proper operation of the permitted facilities is maintained in good working order, including but not limited to the following:
  - (1) retention of the equipment manufacturer's operation and maintenance manuals or other reference source to allow for timely maintenance and prompt repair of equipment when appropriate; and
  - (2) specification of the frequencies of inspections in order to detect leaks on equipment used for liquid manure handling and land application; and
- f. an emergency plan which includes appropriate procedures for employees to follow in case of an emergency such as; an unauthorized discharge of manure, poultry waste, from the production area or catastrophic animal mortality. The emergency plan must include appropriate information for assistance with the particular emergency and must include contact information for local, state and federal agencies required to be notified in the case of any of the above mentioned events.

The Permittee shall operate the CAFO facility in accordance with the approved Farm Operating Manual which becomes an enforceable part of the permit. Any changes in those practices and procedures shall be documented and submitted to the Department for staff approval within 90 days of the effective date of the changes. The existing manual shall continue to be implemented until the revised manual is approved by the Department. Upon approval of submitted manual changes, the revised manual becomes an enforceable part of the permit. Noncompliance with the approved manual shall be deemed a violation of the permit.

### IV. GROUNDWATER MONITORING PLAN

If the facility has an existing permit, indicate whether groundwater monitoring is required. If groundwater monitoring is required, indicate if a groundwater monitoring plan has been developed for this facility. If yes, provide the date of the last review/revision of the plan. If a plan has not been developed, please explain why the plan has not been developed. If the plan has already been developed then indicate whether a copy of the plan is attached to this Addendum. The attached copy may be a hard copy or an electronic copy.

Permit requirements for development of a plan:

The Permittee shall develop and submit a Groundwater Monitoring Plan for approval by the Department within 90 days of the effective date of this permit. The Groundwater Monitoring Plan shall include at a minimum the following information:

- (1) Procedures to ensure appropriate methods and practices are being used when monitoring groundwater, and
- (2) Procedures to ensure appropriate measures are taken where monitoring results demonstrate potential noncompliance with the permit and the approved monitoring plan.

### V. DISCHARGE POINT AND BEST MANAGEMENT PRACTICES (BMPs) RELATED TO A DISCHARGE POINT

For each discharge point, provide the following information in the table below:

- a) a descriptive name of the discharge point;
- b) the latitude and longitude of its location;
- c) the name of the nearest potential receiving water;
- d) all areas contributing manure, litter, process wastewater, or storm water from the facility; and
- e) the treatment received or BMPs utilized, installed or constructed prior to the discharge point.

### VI. BEST MANAGEMENT PRACTICES (BMPs)

If the facility has an existing permit, indicate whether groundwater monitoring is required. If groundwater monitoring is required, indicate if a groundwater monitoring plan has been developed for this facility. If yes, provide the date of the last review/revision of the plan. If a plan has not been developed, please explain why the plan has not been developed. If the plan has already been developed then indicate whether a copy of the plan is attached to this Addendum. The attached copy may be a hard copy or an electronic copy

### VII. OTHER ATTACHMENTS

Local Government Ordinance Form (LGOF)

State Law requires that the owner of any proposed pollutant management activities or those which have not previously been issued a valid VPA or VPDES permit must attach to the permit application, the completed LGOF. The LGOF is the notification from the governing body of the county, city or town where the operation is located that the operation is consistent with all ordinances adopted pursuant to Chapter 22 (§ 15.2-2200 et seq.) of Title 15.2 of the Code of Virginia.

Nutrient Management Plan (NMP) Approval Letter

A copy of the letter from the Virginia Department of Conservation and Recreation (DCR) approving the operation's NMP and certifying that the NMP was developed by a certified nutrient management planner in accordance with §10.1-104.2 of the Code of Virginia must be attached to the permit application. However, if a current NMP approval letter is on file at the DEQ regional office then it is not necessary to attach the NMP approval letter.

### VIII. CERTIFICATION STATEMENT

The Certification must bear an original signature in ink, photocopies are not acceptable. State regulations require the permit application to be signed as follows:

- 1. For a corporation: by a responsible corporate officer. For the purpose of this section, a responsible corporate officer means: (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy-making or decision-making functions for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions that govern the operation of the regulated facility, including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long-term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;
- 2. For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or
- 3. For a municipality, state, federal, or other public agency: by either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a federal agency includes: (i) the chief executive officer of the agency, or (ii) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency.

### BMP Description – Secondary Containment

The BMP is a grass covered earthen containment structure that collects runoff from the production area. The structure has a manually operated value that is maintained as normally closed. The BMP is inspected daily by the farm production staff. Once water collects in the structure it is visually inspected to ensure it does not contain any contaminants and it released. The BMP has an emergency spillway for structural integrity during extreme rainfall events.

### VIRGINIA POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT CONCENTRATED ANIMAL FEEDING OPERATION

### **Permit Application Addendum**

Murphy-Brown LLC Farms 13 and 14 Permit VPA 00573

### VIII.B MORTALITY DISPOSAL METHODS

The mortality disposal method utilized for this site is rendering. Mortality is removed from the Barn and placed in a mortality ben for pickup and removal from the site. The mortality ben is a synthetic container with a lid. The dead box is picked up and emptied daily by truck, the contents of the box are delivered to the rendering facility. In the event unforeseen circumstances prevent daily pick up of mortality, the mortality is held inside the barn until daily removal can resume.

### XI. CHEMICAL HANDLING METHODS

Murphy-Brown LLC maintains a list of all chemicals used on its facilities. The list of hazardous chemical used by Murphy-Brown is maintained by a third party contractor. The contractor provides emergency information for all products used by the company. This includes Material Safety Data Sheets outlining the manufactures guidelines for handling, storage, and disposal. Information is available 24 hours a day for all worksites within the Murphy-Brown organization. Employees are trained to handle, store, and dispose of chemicals pre the manufactures label. Chemicals are not disposed in any manure, process waste water or storm water.

Douglas W. Domenech Secretary of Natural Resources



David A. Johnson Director

### COMMONWEALTH of VIRGINIA

### DEPARTMENT OF CONSERVATION AND RECREATION

203 Governor Street
Richmond, Virginia 23219-2010
(804) 786-1712

July 13, 2012

Mr. R.O. Britt Murphy-Brown Farm 13 & 14 P.O. Box 1240 Waverly, VA 23890

Dear Mr. Britt,

Your nutrient management plan (NMP), dated 6/14/2012, for a 21000 head swine operation has been approved by the Virginia Department of Conservation and Recreation for coverage under a Virginia Pollution Abatement (VPA) or Virginia Pollutant Discharge Elimination System (VPDES) permit. Your NMP was written by a nutrient management planner certified by the Virginia Department of Conservation and Recreation.

A copy of this letter must be kept with your nutrient management plan. A copy of this letter and a copy of the approved plan must be sent to the Piedmont Regional Office of the Virginia Department of Environmental Quality (DEQ).

It should be noted that this plan expires 6/30/2015. We recommend the process of revising this nutrient management plan begin at least six months prior to the expiration date.

If you have any questions concerning this letter, please feel free to contact me at bobby.long@dcr.virginia.gov or (434) 547-8172.

Sincerely,

**Bobby Long** 

Nutrient Management Coordinator - Animal Waste

Division of Stormwater Management

cc: Tim Sexton, DCR Nutrient Management Program Manager

R.O. Britt

Bobby Long

DEQ Piedmont Regional Office

### NUTRIENT MANAGEMENT PLAN IDENTIFICATION

### Operator

Murphy-Brown LLC 434 East Main Street Waverly, VA 23890 (804) 834-2109

### Integrator:None

### Farm Coordinates

Easting: 318600, Northing: 408990, zone: 17

### Watershed Summary

watershed: CU45 county: Sussex

### Nutrient Management Planner

R.O. Britt 434 East Main Street Waverly, VA 23890

Certification Code: 571

### Acreage Use Summary

Total Acreage in this plan: 179.8

Cropland:

70.2

Hayland:

109.6

Pasture:

0.

Specialty:

0.

### Livestock Summary

Beef Cattle

**Dairy Cattle** 

0

Poultry

0

Swine

21000

Other

### Manure Production Balance

	The state of				
kgals	0.	37336.3	0.	39162.1	-1825.8
tons	0.	0.	0.	0.	0.

Plan written 6/14/2012 Valid until 6/30/2015

Signature:

Planner

### Nutrient Management Plan Balance Sheet (Summer, 2012-Summer, 2015) Murphy Brown LLC - Farms 13 and 14 Planner: R.O. Britt (cert. No. 571)

Tract: 1801 Location: Sussex (N = N based. 1P = P based. 1.5P = P based at 1.5 removal. 0P = N

						-																												
	Notes			1,2,3,4		3,2,1,4	·	0,2,1,4	4,0,0,1,1	3,2,4,1	-		8			_	*******	_	-	*****	8		8	,				1		∞	Chilaman		<b>-</b>	
	Commercial	N-P-K	(lbs/sq)		O-Festado -					TO STANKE OF THE STANKE OF			***************************************		The West and						· ·	recurence	vare a vivi	040443	THE WOOD		- Albana							******************************
	Sum	ο.	men.	N/A	Y :	<b>∀</b> :	K/N	۲ ۸ ۲ ۲ ۲	<u> </u>	N/A	N/A		N N		N/A	N/A		N/A	N/A		N/A	*****	N/A	N/A		N/A		N/A	**********	Z Z	,	X N	Α N	Ν A
	Not = Needs -	appid N-P-K	(lbs/ac)	0-(55)-(515)	0-(55)-(515)	0-(105)-(1005)	0-(105)-(1005)	0-(130)-(1433)	(0101) (001) 0	0-(255)-(2455)	0-(95)-(925)		0-(185)-(1795)		0-(185)-(1795)	0-(270)-(2640)		0-(355)-(3480)	0-(95)-(1385)		0-(130)-(2225)		0-(80)-(2455)	5-(160)-(3725)		0-(240)-(4985)		0-(45)-(925)		0-(85)-(1785)		0-(35)-(2025)	0-(70)-(2870)	0-(105)-(3710)
	Man/Blos	N-P-K	(lbs/ac)	89-54-517	7 00 00 00 00 00 00 00 00 00 00 00 00 00	84-20-488	74-44-430	88-52-507		89-54-517	159-96-923		84-50-483			146-88-845		145-87-840		1386	73-44-421	73-44-421	40-24-230	220-132-	1270	218-130-	1261	159-96-923	i ( )	75-45-435	75-45-435	40-24-231	146-88-845	N/A 145-87-840
		9		N/A	× 12	¥ ≥	N/A	Z Z			N/A		Š N	Z Z		N/A		N/A	N/A		N N			N A A	*******	N/A		N/A				Z :	ĕ N	N A
	Manure/Biosld	Rate & Type	(season)	107.k Swine (Su)	104 1. 0	(de) alliwe vii loi	89 k Swine (Sn)	105.k Swine (Fa)	( )	107.k Swine (Su)	191.k Swine (Su)		100.k Swine (Sp)	80.1k Swine (Su)		175.k Swine (Sp)		174.k Swine (Sp)	287.k Swine (Su)		87.1k Swine (Sp)	87.2k Swine (Su)	47.6k Swine (Fa)	263.k Swine (Sp)		261.k Swine (Sp)		191.k Swine (Su)	0.00	90.K SWINE (Sp)	SOLK SWITTE (SU)	47.8K Swine (Fa)	175.k Swine (Sp)	174.k Swine (Sp)
owed)	697	/Man	Resid	0/0	0/0	0 0	2/0	0/13		0/0	0/0		0/10		0/0	0/13		0/14	0/0		0/14		0/0	0/17		0/20		0/0	7	2	9	0/0	0/15	0/15
al, 0P = No P allowed)	161	N-P-K	(Ibs/ac)	0-0-0-0	0-0-0	2-0-0	80-0-0	100-0-0		0-0-06	160-0-0		160-0-0		0-0-0	160-0-0		160-0-0	240-50-0		160-50-0		40-75-0	240-50-0		240-50-0		160-50-0	0	0-00-001	71	40-75-0	160-50-0	160-50-0
based at 1.5 remov	Crop			Sorghum (grain)	Hye (cover)	Solginali (gialii)	Corn (grain)	Wheat (grain)	:	Sorghum (grain)	Fescue grass hay	mt.	Sorg. sudan, Millet		Fescue hay estb.	Fescue grass hay	mt.	*** *** ***	Fescue grass hay	mt.	Sorg. sudan, Millet		Fescue hay estb.	Fescue grass hay	mt.			Fescue grass hay	mt.	Solg. sudali, ivillet	die en	rescue nay esto.	rescue grass nay	mt. 
1.5P = F	Yr.			2012	2012	2	2014	· ·	2015		2012		2013	******		2014		2015	2012	de de de de	2013			2014		2015		2012	0040	20.2		Š	2014	2015
based,	Size	(36)	Total/ Used	44/44							44/44								4/4									1/1						
(N = N based, 1P = P based, 1.5P = P based at 1.5 removal, 0P	Field	וכאמא אסי.	Мате	1/A1(N)					- South of north	***************************************	1/A2(N)			en e	***************************************	erii Conti	********		(N)Q/9	and the second			terimo do		- Corollin			6/E(N)						

					***********	*************************			-	0		~~~					90 <del>000 (</del> 900/00/00	MOONWARAN K								
	Notes		-	<b></b>	<del></del>	<del></del>		8	6,8	8,9 2,3,1	8,9	8		2,3,4,1	2341	2,5,7,6,1	2.3.4.1	0 2 1 4	1,5,1,1	4	-	+		<b>MONTHS</b>	<del></del>	
	Commercial	(lbs/ac)				UMOONEENS NAKS SERVINIS				***************************************	***************************************	<b>MANAGEMENT</b>			NETO HONOLOGICA		·	×			***************************************	************	N-W			
	Sum	, <u>E</u>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	X X	N/A	N/A		N/A	X X	N N	Ν	A A	N/A	N/A	Z Z	V / V	Z Z		N/A	× N
	Net = Needs -	appid N-F-K (Ibs/ac)	0-(105)-(1385)	0-(200)-(2690)	0-(290)-(3960)	0-(380)-(5220)	0-(160)-(1560)	0-(310)-(3025)	0-(355)-(3460)	140-(415)-(4035)	0-(460)-(4470)	0-(605)-(5885)		0-(60)-(575)	0-(60)-(575) 0-(130)-(1230)	0-(180)-(1725)	0-(240)-(2300)	0-(240)-(2300)	0-(90)-(1355)	0-(100)-(1755)	0-(190)-(3110)	0.7201 (2510)	0-(320)-(4865)		0-(360)-(5265)	0-(450)-(6620)
	sol	(lbs/ac)	4	-	1304 220-132-		-	254-152-	************	35-24-233 99-60-575		35-24-233 122-73-707	122-73-707		114-68-657		99-60-575	108-64-623	-	1357	235-140-	1357		1357	69-42-401	235-140-
	<u> </u>	<u> </u>	N/A	N/A	N/A	Ž	N/A	N/A	N Y Y	X X X X	N/A	X X	N N	N A A	N/A	N/A	N X	N N	N/A	N A	N N	N/A	Z Z	Mildration and	× ×	¥ Ž
	Manure/Biosid	(Juoseas)	287.k Swine (Su)	270.k Swine (Sp)	263.k Swine (Sp)	261.k Swine (Sp)	323.k Swine (Su)	303.8k Swine (Sp)	41.6k Swine (Fa)	48.3k Swine (Wi) 119.k Swine (Su)	41.6k Swine (Fa)	48.3k Swine (Wi) 146.3k Swine (Sp)	146.4k Swine (Su)	119.k Swine (Su)	136.k Swine (Sp)	102.k Swine (Fa)	119.k Swine (Su)	129.k Swine (Sp)	281.k Swine (Su)	83.k Swine (Fa)	281.k Swine (Su)	83 k Swine (Ea)	281.k Swine (Su)	•	83.k Swine (Fa)	281.K SWINE (SU)
	Leg	Mesid	0/0	0/14	0/20	0/21	0/0	0/16	0/0	0/29	0/0	0/26		0/0	9/0	0/14	0/0	0/0 0/12	0/0	0/0	0/0	0/0	0/0		0/0	2
	Needs N.D.V	(pp/ac)	240-40-0	240-40-0	240-40-0	240-40-0	270-0-0	270-0-0	0-0-02	270-0-0	0-0-02	270-0-0		100-0-0	120-0-0	100-0-0	100-0-0	0-0-0 120-0-0	235-50-0	70-30-0	235-50-0	70-0-0	235-50-0		70-0-0	0-00-057
×	Crop		Fescue grass hay	:	::		Bermudagrass hay	: :: :: :: :: :: :: :: :: :: :: :: :: ::	Barley (silage)	Bermudagrass hay	mt. Barley (silage)	Bermudagrass hay	mt.	Sorghum (grain)	Corn (grain)	Wheat (grain)	Sorghum (grain)	Rye (cover) Corn (grain)	Bermudagrass hay	mt. Barlev (silage)	Bermudagrass hay	mt. Barlev (silade)	Bermudagrass hay	mt.	Barley (silage)	bermudagrass nay
Susse	, , , , , , , , , , , , , , , , , , ,		2012	2013	2014	2015	2012	2013		2014	VOMballada and a	2015		2012	2013	2014		2015	2012		2013		2014	********	Ç	0 07
Location: Sussex	Size (as)	Total/ Used	6/6				37/37							26/26		_			10/10							
1801	Field CESA No.		1/F(N)				11/G1(N)	Agent Annual Community		es accessor established				11/G2(N)		00 B 10 B	e e e e e e e e e e e e e e e e e e e	***************************************	10/H(N)							

Commercial Application Methods: br - Broadcast ba - Banded sd - Sidedress

Notes:

- 1 The maximum waster water application rate per event for this field is 0.9 in./ac. or 24,438.6 gals./ac. Sufficient drying time will be allowed between subsequent irrigation
  - events so that field capacity is not exceeded due to irrigation events.

    2 Commercial fertilizer applications may be used in addition to or in place of organic fertilizer applicatins to suplament crop needs and meet yield goals. Total nutrient application shall not exceed crop needs.
    - 3 Band nitrogen with planter
- 4 Apply side dress nitrogen when crop is 12 to 24 inches tall. A pre-side dress tissue sample is reccomended prior to nutrient application.

- 5 Topdress during Fall 6 Topdress during Fall 6 Topdress during early Spring 7 Topdress during early Spring 7 Topdress during early Spring 7 For intensive management of wheat, follow guidance fron Standards and Criteria pages 72-76. (pages are attached). 7 For intensive management of wheat, follow guidance fron Standards and Criteria pages 72-76. (pages are attached). 8 The maximum waste water application rate per event for this field is 0.9 in./ac. or 24,430 gals./ac. Sufficient drying time will be allowed between subsequent irrigation events. 9 Small grain nutrient applications should be split so that approximately half the nutrients are applied in the Fall/early Winter and the remaining half in the early Spring.

### Murphy Brown LLC - Farms 13 and 14 Narrative

This nutrient management plan is an update for Murphy-Brown LLC farm 8513 and 8514; covered by permit number VPA00573. The farms are located southwest of Wakefield at the intersections of Rt. 620 and Rt. 622 in Sussex County.

These farms have been converted from two 1000 sow farrow to finish swine facilities to currently two 10,500 wean to finish facilities. These farms are operated by Murphy-Brown LLC. The swine waste produced on this site is stored and treated by a two stage anaerobic lagoon system. There are two primary lagoons and on secondary lagoon on this site. Under normal circumstances, effluent from the second stage lagoon system is land applied with irrigation equipment. The irrigation on this site is conducted through a combination of pivots, hard hose travelers and occasionally an aerway field applicator. In order to balance effluent utilization, effluent from any lagoon may be applied to any field. Analysis are taken of the effluent in all three of the lagoons on this facility. The appropriate analysis or the lagoon that effluent is being irrigated from will be used to determine nutrient application amounts. There are approximately 187.8 acres of hay and row crop land available for land application.

The crop rotation varies between fields. Field A1 is in corn, wheat, sorghum and cover crop rotation. Fields A2, D, E, F, and G2 are in fescue hay. Fields G2, C and H are in a Bermuda, small grain hay rotation.

Commercial fertilizer may be used to supplement crop nutrient needs if waste is insufficient to meet the agronomic requirements of the crop. The plan is written with the assumption that there will be sufficient effluent available to meet the agronomic needs of the crops, however if there is not sufficient volume of effluent available to meet the agronomic needs commercial fertilizer will be incorporated in the application records for the farm and will not exceed the nutrient recommendations in this plan. Any commercial fertilizer application will be incorporated in the application records for the farm. The combination of commercial fertilizer and swine effluent application shall not exceed the nutrient recommendations in this plan.

### Revision 3/29/2013 R.O. Britt Cert. 571

This revision reflects a one year crop change in fields A2, D, and E. These fields are currently in fescue hay. These fields have been changed to millet hay for the spring and summer of 2013. The purpose of this change is to allow the opportunity to make some grading and drainage improvements to these fields this spring prior to planting the millet. As part of these improvements these fields will be disked prior to planning the millet hay. In the fall of 2013 the fields will be replanted in fescue hay. In order to balance nutrient application

opportunities on this site in during these field improvements field G1 will remain in bermuda hay.

## Soil Test Summary

e rec. lime								
Soli Lime	7.7	9.7	7.7	7.6	7.8	8.2	6.9	7.4
Lab	Virginia Tech	Virginia Tech	Virginia Tech	Virginia Tech	Virginia Tech	Virginia Tech	Virginia Tech	Virginia Tech
K20	VH (1366 K lbs/acre)	VH (1223.5 K lbs/acre)	VH (829 K lbs/acre)	VH (770 K lbs/acre)	VH (1338 K	lbs/acre) VH (1599 K Ibs/acre)	VH (1071 K	lbs/acre) VH (1289 K lbs/acre)
P205	2011-Fa VH (181.5 P lbs/acre)	2011-Fa VH (179 P lbs/acre)	H (66 P lbs/acre)	2011-Fa H (57 P lbs/acre)	2011-Fa H+ (101 P lbs/acre)	2011-Fa VH (234 P lbs/acre)	2011-Fa VH (143 P lbs/acre)	2011-Fa H (82 P lbs/acre)
Date	2011-Fa	2011-Fa	2011-Fa	2011-Fa	2011-Fa	2011-Fa	2011-Fa	2011-Fa
Acre	44	44	4	7	თ	37	56	10
Fleid	A1	A2	۵	ш	LL.	<u>6</u> 1	G2	I
Tract	1801	1801	1801	1801	1801	1801	1801	1801

# Manure Production Summary

# Manure Name: Swine Effluent

Animal Summary Swine: 21000

Manure Storage Capacity: 11599.9 kgals

Manure Analysis: TKN: 1.67

P205: .5 NH4: 1.25 K20: 4.83

# Plant Available Nutrients:

Immediate Incorporation:

1.34 lbs N .50 lbs P2O5 4.83 lbs K2O

Surface Applied: .77 lbs N .50 lbs P2O5

4.83 lbs K20

Residual N: yr 1: .05 lbs yr 2: .02 lbs yr 3: .01 lbs

## Manure Production

Mar-May Jun-Aug Sep-Nov

Total Produced: 37336

Manure Sold/yr: 0 Manure purch./yr:

0

Liquid Manure Production Details
production [kgal/yr] = (# confined)[animals] \* (avg wt)[animal-lbs/animal] \* (prod factor)[gal/yr/animal-lb] \* (0.001)[kgal/gal] + (# confined)[animals] \* (waste-water)[gal/day/animal] \* (365)[day/yr] \* (0.001)[kgal/gal]

Her production	34448.4
ir waste w	2.0
prod facto	7.4
d lavg wt	125.0
%(#) canfine	100(21000)
al type	ø.
lanim	Swine
Group Name	Wean to Finish

NPE [kgal/yr] = {precip (44.[in/yr]) - evap (40.[in/yr])} \* pit/lagoon factor (0.9) \* surface area (579125.[sq-ft]) \* (1/12)[ft/in] \* (7.48)[gal/cu-ft] \* (0.001)[kgal/gal] = 2887.9[kgal/yr]

Field Productivities for Major Crops

Environmental Warnings											
Grass	Not	Suited	Not	Suited	*****	≥		######################################	- diseases - diseases - diseases	Not	Suited
Alfalfa	Not	Suited	Not	Suited	######################################	Marino Marino	wayee wayee	storeous amount	-	Not	Suited
Salah Engo	\ \ \		>		460450	ANGORACI MINISTER GARAGOS	estatres	Tours of the last	WARREN	>	
<u> </u>	^		>		잍	IVa	<u></u>	q <u></u>	IVa	>	
Predominant So Series	Yemassee		Yemassee		Slagle	Slagle	Slagle	Slagle	Slagle	Yemassee	
e Acres	44		44		4	7	0	37	56	10	
Field Name	A1		A2		Ω	Ш	ட	G1	G2	I	
Tract/ Field	1217/1		1217/1		1217/5	1217/6	1217/1	1217/11	1217/11	1217/10	
Tract Name	1801										

## Yield Range

Grass/Hay Tons/Acre	>4.0	3.5-4.0	3.0-3.5	0.00	NA
Alfalfa Tons/Acre	9<	4-6	4	₹ 2	A A
B Std. Wheat Bu/Acre	>64	56-64	48-56	40-48	<40
Barley/Intensiv Wheat Bu/Acre	08<	70-80	02-09	50-60	<50
Corn Grain Bu/Acre	>170	150-170	130-150	100-130	<100
Field Productivity Group		and the same of th	Endoused sciences agramment	≥	>

# Farm Summary Report

Summer, 2012 - Summer, 2015 New Plan <u>ت</u> 2

Murphy Brown LLC - Farms 13 and 14 Sussex R.O. Britt Farm Name:

Specialist: Location:

N-based Acres: 179.8 P-based Acres: 0.0

180 100

Sussex 1217 Tract Name: FSA Number: Location:

44.25 Usable Acres: 44.25 A Field Name: Total Acres: FSA Number:

Tract:

Sussex Hydrologic Group: 1801

 $\circ$ 

⋖

Slope Class:

Location:

Riparian buffer width: 500 ft

Distance to stream: 500 ft

# Conservation Practices:

Conservation tillage (>30% residue)

P-Index Summary

N-based

Phosphorus Limit method: VA P-Index Calulation

P-Index value = 24.49

K factor: 0.0 Erosion: 0.7 tons/acre R factor: 0.0 Cmax: 0.000 Slope Len: 0. P factor: 1.0 %slope: 0.0 T factor: 0.0

Soil Test Results:

Virginia Tech Virginia Tech VH(1366 K lbs/acre) VH(843 K lbs/acre) VH(181.5 P lbs/acre) H+(106 P lbs/acre) PH 7.3 Fa-2008 Fa-2011 DATE

Soils:

PERCENT SYMBOL SOIL SERIES 100 33A Myatt Yemassee

Field Warnings:

Crop Rotation:

Corn (grain) - No Till Wheat (grain) - No Till Sorghum (grain) - No Till Sorghum (grain) - No Till Rye (cover) - No Till Sorghum (grain) - No Till Rye (cover) - No Till **CROP NAME** 24.0 bushel(s) 80.0 bushel(s) 80.0 bushel(s) 80.0 bushel(s) 80.0 bushel(s) YIELD 0.0 0.0 PLANTED 2012-Su 2012-Fa 2013-Sp 2014-Sp 2013-Fa 2014-Fa 2015-Su

Field Name: A2
Total Acres: 44.25 Usable Acres:

44.25

FSA Number: 1

Tract: 1801

Location: Sussex Slope Class: A Hydrologic Group:

O

Riparian buffer width: 300 ft

Distance to stream: 300 ft

Conservation Practices:

Conservation tillage (>30% residue) Pasture (>75% cover)

P-Index Summary

N-based

Phosphorus Limit method: VA P-Index Calulation

P-Index value = 23.44

K factor: 0.0 R factor: 0.0

Erosion: 0.11 tons/acre Cmax: 0.000 Slope Len: 0. P factor: 1.0 %slope: 0.0 T factor: 0.0

Soil Test Results:

VH(1037 K lbs/acre) VH(1223.5 K lbs/acre) VH(128 P lbs/acre) VH(179 P lbs/acre) 6.7 풉 Fa-2008 Fa-2011 DATE

Virginia Tech Virginia Tech

Lab

Soils:

SOIL SERIES Myatt Yemassee SYMBOL 33A PERCENT 100

Field Warnings:

YIELD Crop Rotation: PLANTED

Sorghum-sudan, millet, sudan (hay) - Tilled Fescue grass (hay), estab. - Tilled Fescue grass (hay), maint. - No Till Fescue grass (hay), maint. - No Till Fescue grass (hay), maint. - No Till **CROP NAME** 3.5 \* tons 3.5 \* tons 1.0 tons 3.5 \* tons 3.5 \* tons 2014-Sp 2015-Sp 2012-Su 2013-Sp 2013-Fa

Field Name:

3.50 Usable Acres: 3.50 Fotal Acres:

1801 FSA Number: Tract:

Hydrologic Group: Sussex ⋖ Slope Class: Location:

S

Riparian buffer width: 100 ft

Distance to stream: 100 ft

Conservation Practices:

Conservation tillage (>30% residue) Pasture (>75% cover)

P-Index Summary

N-based

Phosphorus Limit method: VA P-Index Calulation

P-Index value = 19.68

K factor: 0.0 R factor: 0.0 Slope Len: 0. P factor: 1.0 %slope: 0.0 T factor: 0.0

Erosion: 0.13 tons/acre Cmax: 0.000

Soil Test Results:

Fa-2008 Fa-2011

DATE

PH 6.9 7.7

M(28 P lbs/acre) H(66 P lbs/acre)

VH(890 K lbs/acre) VH(829 K lbs/acre)

Virginia Tech Virginia Tech

Lab

Soils:

SOIL SERIES SYMBOL PERCENT

Slagle 25A

100

Field Warnings:

Crop Rotation:

Fescue grass (hay), maint. - No Till CROP NAME 5.8 \* tons YIELD PLANTED 2012-Su

Sorghum-sudan, millet, sudan (hay) - Tilled

Fescue grass (hay), estab. - Tilled Fescue grass (hay), maint. - No Till Fescue grass (hay), maint. - No Till

4.5 tons 4.5 tons 5.8 \* tons 5.8 \* tons

Fied Name:

2014-Sp 2015-Sp

2013-Sp 2013-Fa

6.59 Usable Acres: 6.59 Total Acres:

1801 FSA Number: Tract:

Sussex Location:

O Hydrologic Group: ⋖ Slope Class:

Riparian buffer width: 600 ft

Distance to stream: 600 ft

Conservation Practices:

Conservation tillage (>30% residue) Pasture (>75% cover)

P-Index Summary

N-based

Phosphorus Limit method: VA P-Index Calulation

P-Index value = 17.01

Erosion: 0.12 tons/acre K factor: 0.0 Cmax: 0.000 R factor: 0.0 Slope Len: 0. P factor: 1.0 %slope: 0.0 T factor: 0.0

Soil Test Results:

VH(1125 K lbs/acre) VH(770 K lbs/acre) H(79 P lbs/acre) H(57 P lbs/acre) 풉 Fa-2008 Fa-2011 DATE

Virginia Tech Virginia Tech

Soils:

SOIL SERIES Slagle SYMBOL 25A 33A PERCENT 50

Myatt Yemassee

Field Warnings:

Crop Rotation:

YIELD

Sorghum-sudan, millet, sudan (hay) - Tilled Fescue grass (hay), maint. - No Till Fescue grass (hay), maint. - No Till Fescue grass (hay), maint. - No Till Fescue grass (hay), estab. - Tilled **CROP NAME** 5.4 \* tons 5.4 \* tons 5.4 \* tons 2.3 tons 2.8 tons PLANTED 2014-Sp 2015-Sp 2012-Su 2013-Sp 2013-Fa

Field Name:

8.53 Usable Acres: 8.53 Total Acres:

FSA Number:

1801 Tract:

Sussex Slope Class: Location:

Hydrologic Group: ⋖

 $\circ$ 

Riparian buffer width: 100 ft Distance to stream: 500 ft

Conservation Practices:

Conservation tillage (>30% residue)

Pasture (>75% cover)

P-Index Summary

Phosphorus Limit method: VA P-Index Calulation P-Index value = 20.74 N-based

K factor: 0.0 Erosion: 0.13 tons/acre R factor: 0.0 Cmax: 0.000 Slope Len: 0. P factor: 1.0 %slope: 0.0 T factor: 0.0

Soil Test Results: DATE

Fa-2008 Fa-2011

VH(1338 K lbs/acre) VH(912 K lbs/acre) H+(101 P lbs/acre) H-(39 P lbs/acre) 풉 6.4

Virginia Tech Virginia Tech

Lab

Soils:

SOIL SERIES Slagle SYMBOL 25A PERCENT 8

Field Warnings:

YIELD Crop Rotation: PLANTED

Fescue grass (hay), maint. - No Till CROP NAME 5.0 \* tons 5.0 \* tons 5.0 \* tons 5.0 \* tons 2013-Sp 2014-Sp 2015-Sp 2012-Su

ō Field Name:

Usable Acres: 36.96 36.96 11 Total Acres:

FSA Number:

1801 Tract:

Location: Slope Class:

Sussex Hydrologic Group: ⋖

O

Riparian buffer width: 100 ft

Distance to stream: 100 ft

Conservation Practices:

Conservation tillage (>30% residue)

Pasture (>75% cover)

P-Index Summary

N-based

Phosphorus Limit method: VA P-Index Calulation

P-Index value = 28.76

K factor: 0.0 R factor: 0.0 Slope Len: 0. P factor: 1.0 %slope: 0.0 T factor: 0.0

Erosion: 0.6 tons/acre Cmax: 0.000

Soil Test Results:

DATE

VH(1081 K lbs/acre) VH(1599 K lbs/acre) VH(148 P lbs/acre) VH(234 P lbs/acre) PH 7.6 8.2 Fa-2008 Fa-2011

Virginia Tech Virginia Tech

SOIL SERIES Slagle SYMBOL 25A SI 33A My

PERCENT

Soils:

9 2

Myatt Yemassee

Field Warnings:

Crop Rotation:

	Č	
Bermudagrass (hay), maint No Till	4.6 tons	2015-Sp
Barley (silage) - No Till	1.8 * ton	2014-Fa
Bermudagrass (hay), maint Tilled	4.6 tons	2014-Sp
Barley (silage) - Tilled	1.8 * ton	2013-Fa
Bermudagrass (hay), maint No Till	4.6 tons	2013-Sp
Bermudagrass (hay), maint No Till	4.6 tons	2012-Su
CROP NAME	YIELD	PLANTED

rieid Name: Total Acres: FSA Number:

25.96 Usable Acres: 25.96

Sussex Hydrologic Group: 11 1801 Location: Tract:

⋖ Slope Class:

 $\circ$ 

Riparian buffer width: 400 ft Distance to stream: 400 ft

Conservation tillage (>30% residue) Conservation Practices:

P-Index Summary

N-based

Phosphorus Limit method: VA P-Index Calulation P-Index value = 19.02

K factor: 0.0 Erosion: 1.14 tons/acre R factor: 0.0 Cmax: 0.000 Slope Len: 0. P factor: 1.0 %slope: 0.0 T factor: 0.0

Soil Test Results:

VH(1071 K lbs/acre) VH(933 K lbs/acre) H-(55 P lbs/acre) VH(143 P lbs/acre) PH 7.2 6.9 DATE Fa-2008 Fa-2011

Virginia Tech Virginia Tech

Lab

Soils:

SOIL SERIES SYMBOL PERCENT

Myatt Yemassee Slagle 33A 25A 40 60

### Field Warnings:

### Crop Rotation:

Wheat (grain) - No Till Sorghum (grain) - No Till Rye (cover) - No Till s) Corn (grain) - No Till Sorghum (grain) - No Till Corn (grain) - No Till CROP NAME Rye (cover) - No Till 122.0 bushel(s) 48.0 bushel(s) 122.0 bushel(s) 98.0 bushel(s) 98.0 bushel(s) YIELD 0.0 PLANTED 2013-Fa 2014-Su 2012-Su 2012-Fa 2013-Sp 2014-Fa 2015-Sp

I Field Name:

9.80 Usable Acres: 9.80 FSA Number: Fotal Acres:

10 1801 Location: Tract:

Sussex Hydrologic Group: Ø Slope Class:

O

Riparian buffer width: 100 ft

Distance to stream: 100 ft

# Conservation Practices:

Conservation tillage (>30% residue)

Pasture (>75% cover)

P-Index Summary

N-based

Phosphorus Limit method: VA P-Index Calulation

P-Index value = 34.5

K factor: 0.0 R factor: 0.0 Cmax: 0.000 Slope Len: 0. %slope: 0.0 T factor: 0.0

Erosion: 1.81 tons/acre P factor: 1.0

o u
80.
(1)
Series Series
Dig.
-
40
V)
Ø
Œ
LL.
est
440
CO:
a.
w
-
<u>_</u>
Division in
Research
~
$\sim$
e A

PH 7.4 7.4 DATE Fa-2008 Fa-2011

H(79 P lbs/acre) H(82 P lbs/acre)

K VH(828 K lbs/acre) VH(1289 K lbs/acre)

Lab Virginia Tech Virginia Tech

### Soils:

SYMBOL SOIL SERIES 33A Myatt Yemassee PERCENT 100

### Field Warnings:

## Crop Rotation:

CROP NAME	Bermudagrass (hay), maint No	Barley (silage) - No Till	Bermudagrass (hay), maint No	Barley (silage) - No Till	Bermudagrass (hay), maint No	Barley (silage) - No Till	Bermudagrass (hay), maint No	
YIELD	3.4 * tons	2.0 * ton	3.4 * tons	2.0 * ton	3.4 * tons	2.0 * ton	3.4 * tons	
PLANTED	2012-Su	2012-Fa	2013-Su	2013-Fa	2014-Su	2014-Fa	2015-Su	

Ē

Ē

Ē

Default Tract Tract Name: FSA Number: Location:

Sussex

# Application Summary Report

Barided Topdress Lime Commercial (tons)	Commercial Commercial (fons)	Banded Topdress Lime Commercial (tons)	Bandet Topdress Lime Commercial (tons)	Banded Topdress Lime Commercial (tons)
Manure Broadcast B Commercial C (Season) C Swine(Su) 119.0k Swine(Su)	Manure Broadcast Brate and Type Commercial C (Season) 191.0k Swine(Su) 287.0k Swine(Su) 287.0k Swine(Su)	Manure Broadcast B Commercial C (Season) 223.0k Swine(Su) 281.0k Swine(Su)	Manure Broadcast B Rate and Type Commercial C (Season) 83.0k Swine(Fa)	Manure Broadcast B Rate and Type Commercial C (Season)
Acres   1   44.3   26.0	Acres 44.3 3.5 6.6 6.6 6.6 8.5	Acres 37.0	Acres   1	Acres
2012: Sorghum (grain)  Tract Fleid  1801 A1	Tract Fescue grass (hay), maint.  Tract Field  1801 A2  D  E	Tract Field Field 1801 G1	2012: Barley (silage)  Tract Field  1801  H	2013: Sorghum (grain) Tract Field

2013: Sorghun Tract Tract 1801 1801 1801 1801 1801	2013: Sorghum-sudan, millet, sudan (hay)  Tract  Tract  E  E  E  Cold: Fescue grass (hay), maint.  E  Cold: Fescue grass (hay), maint.  Field  Field	Acres Acres 3.5 6.6 6.6 6.6 6.6 8.5 8.5	Manure   Broadcast   Banded   Topdress   Lime     Rate and Type   Commercial   Commercial   (tons)     Rate and Type   Commercial   Commercial   Commercial   Commercial   (tons)     Rate and Type   Commercial   Commercial   Commercial   (tons)     Rate and Type   Commercial   Commercial   Commercial   (tons)     Rate and Type   Commercial   Commercial   Commercial   (tons)   (tons)     Rate and Type   Commercial   Commercial   Commercial   (tons)   (tons)
2013: Bermudia	Tract Field Field 1801 G1 3	Acres 37.0	ManureBroadcastBandedTopdressLime  Season   303.8k Swine(Sp)CommercialCommercial(tons)281.0k Swine(Su)

2013: Barley (silage)

Broadcast Banded Topdress Lime Commercial Commercial (tons)				Broadcast Banded Topdress Lime Commercial Commercial (tons)			Broadcast Banded Topdress Lime Commercial Commercial (tons)			Broadcast Banded Topdress Lime Commercial Commercial (tons)			Broadcast Banded Topdress Lime Commercial Commercial (tons)		Broadcast Banded Topdress Lime Commercial (tons)
Manure Rate and Type (Season)	41.6k Swine(Fa) 48.3k Swine(Wi)	83.0k Swine(Fa)		Manure Rate and Type (Season)	136.0k Swine(Sp)		Manure Rate and Type (Season)	102.0k Swine(Fa)		Manure Rate and Type (Season)	89.0k Swine(Sp)		Manure Rate and Type (Season)	105.0k Swine(Fa)	Manure Rate and Type
Aores	37.0	9.6		Acres	26.0		Acres	26.0		Voles	44.3		Yours	44.3	Acres
Field	G1	エ		D D IL	<b>G2</b>		<del>p</del>	G2	rain)		A1	grain)	E E C	A1	2014: Fescue grass (hay), maint. Tract Field
Tract	1801		2013: Corn (grain)	Tract	1801	2013: Wheat (grain)	H act	1801	2014: Corn (grain)	Tract t	1801	2014: Wheat (grain)	Tract	1801	2014: Fescue

	175.0k Swine(Sp)	263.0k Swine(Sp)	175.0k Swine(Sp)	263.0k Swine(Sp)		Manure Broadcast Banded Topdress Lime Rate and Type Commercial Commercial (tons)	(Season) 119.0k Swine(Su)	281.0k Swine(Su)		Broadcast Banded Topdress	Hate and Type Commercial Commercial (tons) (Season)	41.6k Swine(Fa) 48.3k Swine(Wi)	83.0k Swine(Fa)		Manure Broadcast Banded Topdress Lime Rate and Type Commercial Commercial (tons)	119.0K Swine(Su)		Manure Broadcast Banded Topdress Lime	107 OK SWINE (SEI)
(Season)	44.3		9.9		maint.	Acres	37.0 119.0k Sv	9.8		Acres		37.0	8.6		Acres	26.0		Acres	 44.3
	1801 A2		Ц	Ц	2014: Bermudagrass (hay), maint.	Tract	1801 G1	工	2014: Barley (silage)	Tract Fleid		1801 G1	工	Sorghum (grain)	Tract	1801 G2	2015: Sorahım (arain)	Tract Field	1801

2015: Fescue grass (hay), maint.

Lime (tons)			- A CONTRACTOR OF THE PROPERTY		
Topdress			Without our received with the second contract of the second contract		
Banded		AND THE RESIDENCE OF THE PROPERTY OF THE PROPE	inispiniferrogeniewickieniesische immenierrom in der eintstehe in der eine der eine der eine der eine der eine	AND THE PROPERTY OF THE PROPER	
Broadcast	(0	0)	0)	)	
Manure Rate and Type (Season)	174.0k Swine(Sp)	261.0k Swine(Sp)	174.0k Swine(Sp	261.0k Swine(Sp	
Acres	44.3	3.5	9.9	8.5	
Field	A2	D	IJ	<b>L</b>	
Tact	1801				

2015: Bermudagrass (hay), maint.

	Broadcast Banded Topdress Lime Commercial Commercial (tons)			
	Manure Rate and Type (Season)	146.3k Swine(Sp)	146.4k Swine(Su)	281.0k Swine(Su)
	Acres	37.0		9.8
	t Field	G1		I
2	Trac	1801		

2015: Corn (grain)

28	
当8	
100	
8 2	
I# Ē	
용통	
HO	
*****	
3	
r Š	
ŽĒ	
88	
765	
Z D	
9 6	
8 5	
Öδ	
	â
90	S)
Ty	Χ̈́
0 E E	Š
30 5	헞
喜喜多	29.
9	
ģ	26.0
*	C
70	
To	25
14-	
	_
7	
Tract	1801

# Manure Spreading Summary

4735 knals	13187 kgals	14191 knals	15450 knals	17898 knals	29836 knals	32925 knals	35679 kgals	813 knals
4735 kgals	8452 kgals	1005 kgals	1259 kgals	2448 kgals	11938 knals	3089 kgals	2754 kgals	813 kgals
Sorahum (grain)	Fescue grass (hay), maint	Fescue grass (hav), maint	Fescue grass (hav), maint	Fescue grass (hay), maint	Bermudagrass (hav), maint	Sorghum (grain)	Bermudagrass (hav), maint	Barley (silage)
44	44	4	7	6	37	56	10	10
A1	A2	۵	ш	LL.	<u>a</u>	<b>G</b> 2	I	
1801	1801	1801	1801	1801	1801	1801	1801	1801
107.0 kgals	191.0 kgals	287.0 kgals	191.0 kgals	287.0 kgals	323.0 kgals	119.0 kgals	281.0 kgals	83.0 kgals
Swine Effluent								Swine Effluent
2012Su								2012Fa

Season	Manure	Rate/ac	Tract	Field	Acres	Crop	Total in Field	Running Total
2013Sp	Swine Effluent	101.0 kgals	1801	A1	44	Sorghum (grain)	4469 kdals	4469 kgals
		100.0 kgals	1801	A2	44	Sorghum-sudan, millet, su	4425 kgals	8894 kgals
		87.1 kgals	1801	Q	4	Sorghum-sudan, millet, su	305 kgals	9199 knals
		90.0 kgals	1801	Ш	7	Sordhum-sudan, millet, su	593 kgals	9792 knals
		270.0 kgals	1801	Ц.,	0	Fescue grass (hav), maint	2303 kgals	12095 kgals
		303.8 kgals	1801	<u>G</u> 1	37	Bermudadrass (hav), maint	11228 kgals	23324 kgals
		136.0 kgals	1801	G2	26	Corn (grain)	3531 kgals	26854 kgals
2013Su	Swine Effluent	80.1 kgals	1801	A2	44	Sorghum-sudan, millet, su	3544 kgals	3544 kgals
		87.2 kgals	1801	Ω	4	Sorghum-sudan, millet, su	305 kgals	3849 kgals
		90.0 kgals	1801	Ш	7	Sorghum-sudan, millet, su	593 kgals	4442 kgals
		281.0 kgals	1801	I	10	Bermudagrass (hay), maint	2754 kgals	7196 kgals
2013Fa	Swine Effluent	47.6 kgals	1801	Ω	4	Fescue grass (hay), estab	167 kgals	167 kgals
		47.8 kgals	1801	Ш	7	Fescue grass (hav), estab	315 kgals	482 kgals
		41.6 kgals	1801	<u>.</u>	37	Barley (silage)	1538 knals	2019 knals
		102.0 kgals	1801	G2	26	Wheat (grain)	2648 kgals	4667 knals
		83.0 kgals	1801	I	10	Barley (silage)	813 kgals	5480 kgals
2013Wi	Swine Effluent	48.3 kgals	1801	G1	37	Barley (silage)	1785 kgals	1785 kgals

na Total	kaals	kaals	3 kdals	3 kgals	) kgals	kaals	kaals	kgals	kaals	kaals	10241 kgals
Runnin											
ital in Fleid	3938 kgals	744 kgals	921 kgals	153 kgals	243 kgals	646 kgals	538 kgals	813 kgals	398 kaals	089 kgals	2754 kgals
<u> </u>											
do	Corn (grain)	s (hay), me	s (hay), me	s (hav), me	s (hay), me	(grain)	(silage)	(silage)	s (hav). m	n (grain)	s (hay), m
Ò	Corn	Fescue grass	Fescue grass	Fescue grass	Fescue grass	Wheat	Barley	Barley	Bermudadras	Sorghur	Bermudagrass (hay), maint
Acres	44	44	4	7	6	44			37		
1											
Field	A1	A2	Ω	Ш	ш	A1	<u>G</u>	I	G1	G2	エ
Tract	1801	1801	1801	1801	1801	1801	1801	1801	1801	1801	1801
	<u>s</u>	sls	sls	ıls	sls	sls	<u>s</u>	S	SI	sp	ıls
Hate/ac	89.0 kga	175.0 kg	263.0 kg	175.0 kg	263.0 kg	105.0 kg	41.6 kga	83.0 kga	119.0 kg	119.0 kg	281.0 kg
ure	ffluent					:ffluent			:ffluent		
	Swine Effluent					Swine Effluent			Swine Effluent		
	2014Sp					2014Fa			2014Su		

170E Lacto	17 oo Kgals	Running Total	4735 kgals	10146 knals	12000 kgslo	12033 NUAIS	7700 kgals	8613 knals	0760 kgale	44000 L	I I 986 Kgais	17393 kgale	20742 kgals	,
1785 kasle	oo vidaas	Total in Fletd	4735 kgals	5411 kgals	9754 knale	יייייייייייייייייייייייייייייייייייייי	//00 kgals	914 kgals	1147 knale	one lead	ZZZO KJAIS	5407 kgals	3349 kgals	
Barley (silade)		Grop	Sorghum (grain)	Bermudagrass (hay), maint	Bermudagrass (hav) maint	Econo casos (ben)	rescue grass (nay), maint	Fescue grass (hay), maint	Fescue grass (hav) maint	Feering grace (hay) maint	social grass (riay), main	Bermudadrass (hav), maint	Corn (grain)	
37		Acres	44	37	10	41	‡	4	7	σ	10	رن ا	26	
G1		Field	A	<u>G1</u>	I	Δ2	7	Ω	Ш	ĬĮ.	· č	5	<b>G</b> 2	
1801		Tract	100	1801	1801	1801		1801	1801	1801	1001	1001	1801	
48.3 kgals		1070 Leade	107.0 Agais	146.4 Kgais	281.0 kgals	174.0 kgals	-1	Zol.U Kgais	174.0 kgals	261.0 kgals	146 3 kgale	140.0 Agais	129.0 kgals	
Swine Effluent		Swine Effluent				Swine Effluent								
2014Wi		2015Su	20102			2015Sp								